




Edge AI Computing Solutions



www.axiomtek.com



AI Everywhere

Unleashing the Potential of Edge AI Computing


Artificial Intelligence is transforming industries by enabling faster insights, smarter automation, and more efficient operations. Axiomtek delivers innovative Edge AI embedded systems that accelerate application deployment from the edge to the edge-cloud. Designed for scalability and cost efficiency, our solutions empower AI adoption across security, infrastructure, retail, smart factories, and smart cities.

Edge AI Computing Use Cases

- Smart Manufacturing
- Smart City
- Autonomous Machine
- Robotics & Physical AI
- Smart Energy
- Public Sector
- Smart Agriculture
- Smart Transportation

Add-on Value

Axiomtek goes beyond hardware with intelligent add-on features that improve reliability and lifecycle management, enabling remote power control, ignition-synchronized operation, and smart auto-recovery to minimize downtime and simplify edge AI maintenance.



USB and PoE Camera & Sensor Power Control

Easily reboot the connected vision device by remote command.



Smart Ignition Power Control for In-vehicle

Ensure safe startup and shutdown of edge devices with ignition sync.



Smart Wireless Auto-Recovery

Automatically recover lost wireless connections with smart reboot.

Leveraging Our Ecosystem: Sensor, Camera, AI Software

Axiomtek works closely with a broad ecosystem of leading sensor, camera, and AI software partners to deliver flexible, end-to-end Edge AI solutions. By integrating proven technologies across vision, sensing, and perception, Axiomtek helps customers accelerate development and deployment across diverse AI applications.

APPRO.PH

BASLER

e-con Systems
Think Camera. Think e-con.

intel REALSENSE
TECHNOLOGY

LIP5
Sense The World

oToBrite
driving easier and safer

SENSING
森云智能

STEREOLABS

TechNexion
INNOVATORS OF TECHNOLOGY

MICROIP

ORBEC

Axiomtek's Partnership with NVIDIA

Axiomtek edge AI systems combine powerful GPU computing with AIoT versatility, delivering ready-to-deploy solutions for robotics, vision AI, autonomous machines, and edge applications. Built on NVIDIA Jetson platforms and accelerated by JetPack SDK, these systems simplify AI development and speed time-to-market. With compact, high-performance, and rugged designs, they ensure reliable operation in the most challenging environments, helping businesses drive innovation and efficiency at the edge.



Axiomtek Software Services Ready for NVIDIA Jetson

Axiomtek delivers end-to-end software services for NVIDIA Jetson platforms, covering BSP porting, driver support, and system image customization. Backed by long-term technical support, Axiomtek helps customers accelerate deployment and streamline Edge AI system integration.



BSP Porting

Nvidia Jetson Linux BSP Porting /
Multiflash Mode / JetPack
Components Pre-installation



Peripheral Driver Support

Sensor / 2D&3D Camera /
GMSL Camera /
Wireless Module




Image Customization

Device Tree Modification /
Custom Splash Screen /
Kernel / OTA



Technical Support & Value UP Service

AMR Builder Package /
NVIDIA Isaac Perceptor (ROS2)

Empowering Innovation

Axiomtek's Edge AI Solutions

Axiomtek DigiHub

Ecosystem partner AI package

UTILITY



ROS


TOOLKITS/SDKS



AIE100



AIE110




AIE015-AT



AIE500




AIE800



AIE810



AIE900



NVIDIA Jetson system-on-module

PLATFORMS



TOOLKITS/SDKS



iHPC100




IPC964A



GPGPU/FPGA - PCIe



eBOX671B



GPGPU/ASIC - MXM

PLATFORMS

Smart Choices, Intelligent Outcomes: Axiomtek's Edge AI Array

Axiomtek has developed edge AI platforms, leveraging the full spectrum of NVIDIA® Jetson modules, such as the NVIDIA® Jetson Nano™, NVIDIA® Jetson Xavier™ NX, NVIDIA® Jetson AGX Xavier™, NVIDIA® Jetson Orin Nano™, NVIDIA® Jetson Orin™ NX, NVIDIA® Jetson AGX Orin™, and NVIDIA® Jetson Thor™. These platforms cater to a diverse range of AI applications, including robotics, computer vision, autonomous systems, and intelligent video analytics.





AIE015-AT

Up to 2070 TFLOPS

NVIDIA® Jetson Thor™:

NVIDIA® Jetson T5000

NVIDIA® Jetson T4000

- Ideal for NVIDIA Isaac™, Holoscan, and Metropolis
- Easy management: USB and PoE device power control
- One QSFP28 & 8-CH GMSL for camera and sensor fusion
- Seamless speed: 5G, Wi-Fi 6E, and GbE
- Support multiple purpose of AI model for robotics and physical AI



Physical AI
& Robotics



1 x QSFP28



8-CH GMSL




LPDDR5X



Smart
Ignition





AIE510

Up to 100 TOPS

NVIDIA® Jetson Orin™ NX

NVIDIA® Jetson Orin Nano™ **Super Mode**

- Seamless speed: 5G, Wi-Fi 6E, and 2.5 GbE
- Easy management: USB & PoE device power control
- 2 PoE, 4-CH GMSL and isolated DIO (4-in/4-out)
- 9 to 36VDC with Smart Ignition
- CE, FCC, and E-Mark certified



AMR
& In-vehicle



4-CH GMSL




Palm-size



Smart
Ignition



E-Mark



AIE900A

Up to 275 TOPS

NVIDIA® Jetson AGX Orin™

- Seamless speed: 5G, Wi-Fi 6E, and 2.5 GbE
- 6 USB, 2 COM/CAN, and 8-CH DIO
- 8 PoE, 8-CH GMSL for camera and sensor
- 9 to 36VDC with Smart Ignition
- Supports NVIDIA Isaac™ and ROS 2



Robotics



5G/Wi-Fi 6E



8-CH GMSL



NVIDIA
Isaac™



ROS2



AIE100/AIE110

Up to 100 TOPS

NVIDIA® Jetson Orin™ NX
NVIDIA® Jetson Orin Nano™ **Super Mode**
NVIDIA® Jetson Xavier™ NX

- Palm-sized, budget-friendly, and highly expandable
- 15W GbE PoE for camera
- Seamless speed: LTE, Wi-Fi, and GbE
- 2 USB, GbE, PoE, and 8-CH DIO
- IP42 rating for semi-outdoor applications
- AIE110: -10°C to +60°C/AIE100: up to -25°C to +70°C



Smart City



PoE for Camera
Deployment



Budget
Friendly



Palm-size



Remote
Management
(Allxon)



AIE810

Up to 275 TOPS

NVIDIA® Jetson Orin™ NX **Super Mode**
NVIDIA® Jetson Orin Nano™ **Super Mode**

- IP67 rating for outdoor applications
- Seamless speed: 5G, Wi-Fi 6E, and 2.5 GbE
- 2 PoE, 2 USB, and 8-CH DIO
- 9 to 36 VDC with Smart Ignition
- -25°C to +60°C



IP67



Smart
Ignition



PoE for Camera
Deployment



9-36VDC



Wide
Temperature

Beyond Limits: Unleash Innovation with Our Tower GPU Workstation

*NVIDIA® RTX/Quadro Support Cutting-Edge GPU Cooling
Engineered for Complex AI Workloads*



iHPC100

- Unique cooler design for Graphics card
- ATX redundant power 750W for GPU card
- 4 SATA3 with RAID 0/1/5/10



Automation



High-speed
PCIe/PCI Slots



NVIDIA®
RTX/Quadro



IPC964A/IPC962A/IPC960A

Modular Industrial Edge System

- Supports NVIDIA® L4/RTX 4000 SFF graphics card
- Compact optional fan system
- Additional 200W power for accelerator cards
- Advanced thermal design for reliable GPU computing



Automation



AI
Accelerating



5G



Flexible I/O
Configurations



eBOX671B

Robust GPU Computing System

- Seamless speed: 5G, Wi-Fi 6, and 2.5 GbE with TSN
- Supports NVIDIA® MXM 3.1 GPU card for up to 5 display outputs
- -40 °C to +70 °C
- Optional fan kit



AMR
& Robotics



Quint-View



5G/Wi-Fi 6E



Ignition

Selection Guide

Edge AI Systems

	Model	AI Accelerator	I/O Connectivity
NEW	AIE015-AT	NVIDIA® Jetson Thor™	6 USB, 1 QSFP28, 1 GbE, 2 COM/CAN, 16-CH DIO, 8-CH GMSL
NEW	Super Mode AIE100	NVIDIA® Jetson Nano™ NVIDIA® Jetson™ TX2 NX NVIDIA® Jetson Xavier™ NX NVIDIA® Jetson Orin™ Nano NVIDIA® Jetson Orin™ NX	2 USB, 1 GbE, 1 PoE
NEW	Super Mode AIE110	NVIDIA® Jetson Xavier™ NX NVIDIA® Jetson Orin™ Nano NVIDIA® Jetson Orin™ NX	2 USB, 1 GbE, 1 PoE, 8-CH DIO
NEW	AIE510	NVIDIA® Jetson Orin™ Nano NVIDIA® Jetson Orin™ NX	2 USB, 2 PoE, isolated DIO (4-in/ 4-out), COM/CAN, 4-CH GMSL
	AIE800	NVIDIA® Jetson Xavier™ NX	2 USB, 1 PoE, 9 to 36 VDC
NEW	Super Mode AIE810	NVIDIA® Jetson Orin™ Nano NVIDIA® Jetson Orin™ NX	2 USB, 2 PoE, 8-CH DIO
NEW	Super Mode AIE900B	NVIDIA® Jetson Orin™ Nano NVIDIA® Jetson Orin™ NX	4 USB, 1 GbE, 4 PoE, 8-CH DIO, 2 COM/CAN, 8-CH GMSL
	AIE900A	NVIDIA® Jetson AGX Orin™	2 USB, dual 2.5GbE, 8 PoE, 8-CH DIO, 2 COM/CAN, 8-CH GMSL
	iHPC100	NVIDIA® RTX/ Quadro Graphics card	11 USB, 2 GbE, 1 HDMI
	IPC964A	NVIDIA® Tesla/RTX/ Quadro Graphics card	6 USB, 2 GbE, 1 NVMe (PCIe x4), 4 PCI/PCIe slots
	eBOX671B	NVIDIA® RTX™ MXM GPU card	6 USB, 4 GbE, 2 HDMI, 1 DisplayPort, 4 optional PoE



ASIA

Axiomtek Co., Ltd (HQ)

8F., No.55, Nanxing Road, Xizhi District,
New Taipei City 221, Taiwan

T/ +886-2-8646-2111

F/ +886-2-8646-2555

E/ info@axiomtek.com.tw

Axiomtek (Malaysia) Sdn. Bhd.

No 16, Jalan Tandang 51/205A,
Seksyen 51, 46050 Petaling Jaya, Selangor,
Malaysia

T/ +603-77731203

F/ +603-77724403

E/ info@axiomtek.com.my

Axiomtek Technology (Shen- zhen) Co., Ltd

Unit GH, 6F, Building 7 (Block B), Baoneng
Science and Technology Park, Longhua
Street, Qinghu Community, Qinghu Village,
Longhua District, Shenzhen, China

T/ +86-0755-66865899

F/ +86-0755-66863068

E/ axcn@axiomtek.com.cn

Axiomtek (Thailand) Co., Ltd.

7/17 Moo 6, Tumbol Banmai,
Amphur Pakkret, Nonthaburi,
Thailand 11120

T/ +662-573-4725

F/ +662-573-4726

E/ sales@axiomtek.co.th

Axiomtek Japan Co., Ltd.

3F, 1-7-11, Higashi Nihonbashi,
Chuo-Ku, Tokyo
103-0004, Japan

T/ +81-(0)3-6206-0308

E/ info@axiomtek.co.jp

USA

Axiomtek (U.S. HQ)

18138 Rowland Street, City of Industry,
CA 91748, USA

T/ +1-626-581-3232

F/ +1-626-581-3552

E/ info@axiomtek.com
sales@axiomtek.com

Regional Sales Office

T/ +1-626-581-3232

Western Region ext. 116

Northeast/Southeast Region ext. 123

North Central Region ext. 189

Axiomtek Systems

300 Griffin Brook Drive, Methuen,
MA 01844, USA

T/ +1-978-258-0108

E/ sales@axiomteksystems.com

EU

Axiomtek Deutschland GmbH

Elisabeth-Selbert-Straße 21a
40764 Langenfeld, Germany

T/ +49-2173-399360

E/ welcome@axiomtek.de

Axiomtek UK Limited

Peter House, Oxford Street, Greater
Manchester M1 5AN, UK

T/ +44(0)1612093680

E/ info@axiomtek.co.uk

Axiomtek Italia S.r.l.

Via Pavia, 21
20835 Muggiò (MB), Italy

T/ +39-02-664299.1 r.a.

E/ info@axiomtek.it



V635